

October 30, 2008

Final
Program Environmental Impact Report
Volume 7a of 8

For the
San Francisco Public Utilities Commission's
WATER SYSTEM
IMPROVEMENT PROGRAM

Responses to Comments

San Francisco Planning Department File No. 2005.0159E
State Clearinghouse No. 2005092026

Draft PEIR Publication Date: June 29, 2007

Draft PEIR Public Hearing Dates:

September 5, 2007 in Sonoma

September 6, 2007 in Modesto

September 18, 2007 in Fremont

September 19, 2007 in Palo Alto

September 20, 2007 in San Francisco

October 11, 2007 in San Francisco

Draft PEIR Public Comment Period: June 29, 2007 through October 15, 2007

Comments and Responses Publication Date: September 30, 2008

Final PEIR Certification Date: October 30, 2008

City and County of San Francisco
San Francisco Planning Department

October 30, 2008

Final
Program Environmental Impact Report
Volume 7a of 8

For the
San Francisco Public Utilities Commission's
**WATER SYSTEM
IMPROVEMENT PROGRAM**

Responses to Comments

San Francisco Planning Department File No. 2005.0159E
State Clearinghouse No. 2005092026

Draft PEIR Publication Date: June 29, 2007

Draft PEIR Public Hearing Dates:

September 5, 2007 in Sonoma

September 6, 2007 in Modesto

September 18, 2007 in Fremont

September 19, 2007 in Palo Alto

September 20, 2007 in San Francisco

October 11, 2007 in San Francisco

Draft PEIR Public Comment Period: June 29, 2007 through October 15, 2007

Comments and Responses Publication Date: September 30, 2008

Final PEIR Certification Date: October 30, 2008

City and County of San Francisco
San Francisco Planning Department

TABLE OF CONTENTS

SFPUC Water System Improvement Program Program Environmental Impact Report

Volume 1 (*bound separately*)

- Glossary**
- Summary**
- 1. Introduction**
- 2. Existing Regional Water System**
- 3. Program Description**

Volume 2 (*bound separately*)

- 4. WSIP Facility Projects – Setting and Impacts**

Volume 3 (*bound separately*)

- 5. WSIP Water Supply and System Operations – Setting and Impacts**

Volume 4 (*bound separately*)

- 6. Mitigation Measures**
- 7. Growth-Inducement Potential and Indirect Effects of Growth**
- 8. WSIP Variants and Impact Analysis**
- 9. CEQA Alternatives**
- 10. Impact Overview**

Volume 5 (*bound separately*)

Appendices

- A. Notice of Preparation / Scoping Report**
- B. WSIP Initial Study Checklist**
- C. WSIP Facility Improvement Project Information**
- D. Biological Resources: Special Status Species in Alameda and Peninsula Watersheds**
- E. Growth Inducement Potential and Supporting Information**
- F. Noise and Traffic Background Data**

Volume 5 (continued)**Appendices (continued)**

- G. Hazardous Materials
- H. Modeling Analysis – Water Supply and System Operations
 - H1. Hydrologic Modeling Report
 - H2. Hydrologic Modeling – Supporting Information
 - H3. Temperature Modeling Report
- I. Report Preparers

Volume 6 – Comments (*bound separately*)

- 11. Introduction to Comments and Responses
- 12. Comment Letters

Volume 7a – Responses

- 13. **Introduction to Responses and WSIP Revisions** **13-1**
 - 13.1 Overview of Responses to Comments 13-1
 - 13.2 Program Description Changes Affecting System Operations 13-3
 - 13.3 Updated Water System Assumptions and Modeling 13-6
 - 13.4 Phased WSIP Variant 13-8
- 14. **Master Responses** **14-1**
 - 14.1 Master Response on WSIP Purpose and Need 14.1-1
 - 14.2 Master Response on Demand Projections, Conservation, and Recycling 14.2-1
 - 14.3 Master Response on Proposed Dry-Year Transfer 14.3-1
 - 14.4 Master Response on PEIR Appropriate Level of Analysis 14.4-1
 - 14.5 Master Response on Water Resources Modeling 14.5-1
 - 14.6 Master Response on Upper Tuolumne River Issues 14.6-1
 - 14.7 Master Response on Lower Tuolumne River Issues 14.7-1
 - 14.8 Master Response on Delta and San Joaquin River Issues 14.8-1
 - 14.9 Master Response on Alameda Creek Fishery Issues 14.9-1
 - 14.10 Master Response on Modified WSIP Alternative 14.10-1
 - 14.11 Master Response on Climate Change 14.11-1
 - 14.12 References 14.12-1
- 15. **Responses to Individual Comments** **15-1**
 - 15.1 Federal Agencies 15.1-1
 - 15.2 State Agencies 15.2-1
 - 15.3 Local and Regional Agencies 15.3-1

Volume 7b – Responses (*bound separately*)

- 15. Responses to Individual Comments (continued)
- 16. Staff-Initiated Text Changes

Volume 8 – Appendices (*bound separately*)

- J. Draft PEIR Notification and Public Hearing Materials
 - J1. PEIR Hearing Summary
 - J2. Draft PEIR Mailing List
 - J3. PEIR NOA and Meeting Notification
 - J4. Draft PEIR Legal Notices and Display Ads
- K. Attachment Log
- L. Form Letter 1 Submittals
- M. Comment Letters Received After December 31, 2007
- N. Technical Memorandum- Estimation of Flow Changes in Lower Alameda Creek with Implementation of the WSIP
- O. Hydrologic Modeling – Additional Supporting Information
 - O1. Updated HH/LSM Assumptions and Results—Proposed WSIP
 - O2. Updated HH/LSM Assumptions and Results—Modified WSIP Alt.
 - O3. Updated HH/LSM Assumptions and Results—Phased WSIP Variant
 - O4. Analysis of WSIP upon the San Joaquin River and the Sacramento-San Joaquin Delta

List of Figures

13.1	SFPUC Regional System Water Deliveries – Five Year Rolling Average	13-17
14.2-1	ABAG Employment and Population Projections for the Four-County Area	14.2-11
14.2-2	Historical Gross Per-Capita Demand – SFPUC Customers	14.2-20
14.9-1	Location of USGS Gages and Contributing Watersheds for Lower Alameda Creek	14.9-16
14.9-2	Comparison of the Average Monthly Flow Contribution from ADLL and Upper Alameda Creek at Niles, WY 2000-2007	14.9-18
14.9-3	Comparison of Average Monthly Flow at the Niles Gage, Recorded Flow versus WSIP Proposed Program	14.9-22
14.9-4	Existing and Future Habitat Conditions for Steelhead on Alameda Creek	14.9-40
14.11-1	Modeled Shift in Runoff to Hetch Hetchy Reservoir Comparing Historical Patterns with a Global Warming Scenario of 15 °C Increase in Temperature	14.11-20
14.11-2	Relationship between Area and Elevation for the Tuolumne, Mokelumne, and Feather River Basins	14.11-21
15.2-1	Flow Conditions at Diversion Dam under Various Operational Scenarios—pre- vs. post-DSOD restrictions	15.2-29

List of Tables

13.1	SFPUC Average Annual Water Deliveries under the Phased WSIP Variant	13-11
13.2	Description of Phased WSIP Variant in Comparison to WSIP and No Purchase Request Increase Alternative (<i>Similar to Draft PEIR Table 9.4</i>)	13-13
13.3	Average Annual Tuolumne River Diversions and Drought-Year Shortages for the Selected Alternatives (<i>Similar to draft PEIR Table 9.5</i>)	13-15
13.4	SFPUC Wholesale Customers – Supply Sources	13-19
13.5	Summary of 2030 Demand Projections, Water Supply Assumptions, and SFPUC Purchase Estimates	13-20
13.6	Potential Regional Recycled Water, Groundwater, and Conservation Projects (<i>Same as Draft PEIR Table 9.11</i>)	13-24

	<u>Page</u>
List of Tables (continued)	
13.7 Summary of Ability of Alternatives to Meet Program Objectives (Similar to Draft PEIR Table 9.6)	13-27
13.8 Summary of Potential Impacts and Mitigation Strategies Associated with Representative Water Supply Acquisition Projects (Similar to PEIR Table 9.10)	13-31
13.9 Summary of Potential Impacts and Mitigation Strategies for Recycled Water and Groundwater Projects (Same as Draft PEIR Table 9.12)	13-34
13.10 Summary of Significant Water Supply and System Operations Impacts for Phased WSIP Variant – Tuolumne River Watershed	13-35
13.11 Summary of Significant Water Supply and System Operations Impacts for Phased WSIP Variant – Alameda Creek Watershed	13-37
13.12 Summary of Significant Water Supply and System Operations Impacts for Phased WSIP Variant – Peninsula Watershed	13-39
14.1-1 Delivery within 24 Hours after a Major Earthquake	14.1-13
14.1-2 Percent of Turnouts That Would Receive Water within 24 Hours after a Major Earthquake	14.1-14
14.1-3 Post-Earthquake Recovery: Delivery 30 Days Following a Major Earthquake	14.1-14
14.1-4 Key WSIP Projects for Seismic Reliability	14.1-15
14.2-1 ABAG Projections of Employment in 2025 and 2030: Summary Comparison	14.2-6
14.2-2 Comparison of Projected Employment Growth (New Jobs): Projections 2005 and Projections 2002	14.2-7
14.2-3 Difference in Existing and Projected Total Employment: Projections 2005 Minus Projections 2002	14.2-8
14.2-4 ABAG Projections of Employment and Population in 2025: Summary Comparison	14.2-9
14.2-5 Summary of 2030 Water Savings Due to Existing and Proposed Conservation	14.2-27
14.2-6 Description of Existing and Proposed/Planned Best Management Practices and Conservation Measures – Wholesale and Retail Customers	14.2-31
14.2-7 Existing and Proposed Conservation Measures and Best Management Practices – SFPUC Retail Service Area	14.2-33
14.2-8 Existing and Planned Conservation Measures and Best Management Practices – SFPUC Wholesale Customers	14.2-35
14.2-9 Total Estimated 2030 Water Savings from Conservation and Recycling	14.2-37
14.2-10 Per-Capita Water Use by Hydrologic Region – 1995	14.2-41
14.2-11 Total Urban and Residential Per-Capita Water Use by Hydrologic Region – 2000	14.2-41
14.2-12 Weighted Average Residential Per-Capita Demand Wholesale Customer Service Area, 2001 and 2030	14.2-42
14.2-13 Submittals Containing Comments on Water Demand Projections, Conservation, and Recycling Addressed in this Master Response	14.2-52
14.4-1 Permits, Approvals, and Early Coordination with Other Agencies that May Be Required (Revised Draft PEIR Table C.6)	14.4-7
14.5-1 Average Annual Customer Purchase Requests from the Regional System	14.5-15
14.5-2 Source of Customer Deliveries from the Regional System	14.5-15
14.9-1 Average Monthly Percentage of Watershed Contributions at the Niles Gage Hydrologic Years 2000-2007	14.9-17

	<u>Page</u>
List of Tables (continued)	
14.9-2 Summary of Flow Contributions at the Niles Gage Hydrologic Years 2000-2007	14.9-19
14.9-3 HH/LSM Calculated Flow Reductions in Alameda Creek below the San Antonio Creek Confluence	14.9-20
14.9-4 Comparison of Recorded and Calculated Flows in Alameda Creek at Welch Gage	14.9-20
14.9-5 Comparison of Average Monthly Flow at the Niles Gage, Recorded Flow versus Calculated Flow under the WSIP	14.9-21
14.9-6 Summary of Alameda Creek Steelhead Habitat Use and Condition under Future Cumulative without WSIP and Future Cumulative with WSIP Scenarios	14.9-35
14.10-1 Comparison of Proposed Program and Modified WSIP Alternative (<i>Similar to Draft PEIR Table 9.4</i>)	14.10-4
14.10-2 Crystal Springs Reservoir Water Surface Elevation and Storage Capacity	14.10-8
14.10-3 Average Annual Tuolumne River Diversions and Drought-Year Shortages for the Modified WSIP Alternative	14.10-14
14.10-4 Summary of Significant Water Supply and System Operations Impacts for the WSIP and Modified WSIP Alternative – Tuolumne River Watershed	14.10-17
14.10-5 Summary of Significant Water Supply and System Operations Impacts for the WSIP and Modified WSIP Alternative – Alameda River Watershed	14.10-19
14.10-6 Summary of Significant Water Supply and System Operations Impacts for the WSIP and Modified WSIP Alternative – Peninsula Watershed	14.10-21
14.11-1 Climate Change Science References	14.11-7
14.11-2 Selected Climate Change Policy and Guidance References	14.11-12
14.11-3 Climate Change Variables and the SFPUC Regional Water System	14.11-24